



Lifespan

Delivering health with care™

Fadlallah Habr, MD

Sarah Hyder, MD

Zilla Hussain, MD

Colleen Kelly, MD

Amanda Pressman, MD

Erica Taylor, PA

Laura Massa, NP

Center for Women's Gastroenterology

(401) 793-7080

Lifespan Physician Group, Inc.

(401) 606-4260

Your procedure will take place at:

- Rhode Island Hospital, 593 Eddy Street, Providence, RI – Main Bldg. 9th Floor, 9B Endoscopy Unit
- MOC Building, 2 Dudley Street, 3rd Floor, Providence, RI
- Rhode Island Hospital Surgery Center at Wayland Square, 17 Seekonk St, Providence, RI
- The Miriam Hospital, 164 Summit Avenue, Providence, RI - 1st Floor, Endoscopy Unit
- Blackstone Surgical Center, 1526 Atwood Avenue, #300, Johnston, RI

Instructions for Colonoscopy – 2 Day Prep

On the day of your procedure please bring photo ID and a list of ALL your medications and dosages.

Due to unexpected emergencies, **your procedure time cannot be guaranteed.** Please contact your insurance company prior to your procedure to understand your responsibility for any co-payment and/or deductible. Note: This is a hospital-based Endoscopy Unit.

Date: _____ Appointment Time: _____ Arrival Time: _____ With: Dr. _____

Important

- Do not stop Aspirin unless instructed by your primary care physician or cardiologist. If you take an oral contraceptive at night, you should take the pill in the morning with your light breakfast and use a backup method of contraception. Colonoscopy preparation may interfere with absorption of the pill. Resume your birth control pill as usual after the procedure.
- A responsible adult must be available to come into the Endoscopy suite to sign you out of the unit. You will not be able to drive on the day of your procedure. You must have someone drive you home. You may take a taxi or bus, but only if you are accompanied by a responsible adult.
- Please do not wear perfumes or body lotions on the day of your procedure.

Important: Notify your physician if you are taking medications for **diabetes (oral or injectable)** and/or **anticoagulants (“blood thinners”)** such as **Coumadin, Warfarin, Heparin, Plavix**, etc., and ask for further instructions.

Purchase at the Pharmacy (1) 10 ounce bottle of Magnesium Citrate (**Lemon or Lime only**), (4) Dulcolax tablets, (1) 238 gram bottle of Miralax, and (1) 64 ounce bottle of Gatorade. (**Do not get Red, Blue or Purple Gatorade.**)

Two Days Before Colonoscopy On _____ (date)

Can have a light breakfast, then drink only clear liquids the rest of the day. Clear liquids are those you can “see through”. Examples of clear liquids include:

- ✓ Water
- ✓ Strained fruit juice without the pulp
- ✓ Plain coffee and tea (**without** milk or cream)
- ✓ Clear broth or bouillon
- ✓ 7 UP, Sprite and Ginger Ale
- ✓ Sports drink (such as Gatorade and Propel Water) (Avoid red, blue and purple)
- ✓ Kool-Aid or other fruit flavored drinks (Avoid red, blue and purple)
- ✓ Plain Jell-O without added fruit or toppings (Avoid red, blue and purple)
- ✓ Popsicles (Avoid red, blue and purple)

In the Evening, drink one bottle of Magnesium Citrate (10 ounces) and immediately after that drink 2 to 3 eight ounce glasses of clear liquid.

The Day Before Colonoscopy On _____ (date)

All Day Continue with clear liquids only. Clear liquids are those you can “see through”. **No LIQUIDS that are red, blue or purple.**

At 3:00 p.m. Take 4 Dulcolax tablets.

At 4:00 p.m. Mix the 238 gram bottle of Miralax in 64 ounces of Gatorade. Shake well until all of the Miralax powder is dissolved. Refrigerate the Gatorade if desired.

At 5:00 p.m. Drink an 8 ounce glass of the Gatorade and Miralax mixture every 20-30 minutes until it is all gone. Continue drinking clear fluids until bedtime

Day of Colonoscopy On _____ (date)

You may have small amounts of clear liquids until **4 hours prior** to your arrival time, then nothing to eat or drink until after the procedure, unless otherwise instructed by your physician. No gum or candy. **Medications** may be taken with sips of water on your regular schedule until 4 hours before your arrival time. **Diabetic patients: please check your blood sugar level before your procedure.**

Please call the office if you have any questions.

2 Day Prep 08.23.18